





















































































































































































































































































































































































37. Piatt G, Anderson R, Brooks M, et al. 3 year follow-up of clinical and behavioral improvements following a multifaceted diabetes care intervention: results of a randomised controlled trial. *The Diabetes Educator* 2010;36(2):301-09.
38. Look Ahead Research Group WRR. Long-term effects of a lifestyle intervention on weight and cardiovascular risk factors in individuals with type 2 diabetes mellitus: four-year results of the Look AHEAD trial. *Arch Intern Med* 2010;170(17):1566-75.
39. Wadden TA, West DS, Neiberg RH, et al. One-year weight losses in the Look AHEAD study: factors associated with success. *Obesity* 2009;17(4):713-22.
40. Gregg JA, Callaghan GM, Hayes SC, et al. Improving diabetes self-management through acceptance, mindfulness, and values: a randomized controlled trial. *J Consult Clin Psychol* 2007;75(2):336-43.
41. King DK, Estabrooks PA, Strycker LA, et al. Outcomes of a multifaceted physical activity regimen as part of a diabetes self-management intervention. *Ann Behav Med* 2006;31(2):128-37.
42. Anderson RM, Funnell MM, Nwankwo R, et al. Evaluating a problem-based empowerment program for African Americans with diabetes: results of a randomized controlled trial. *Ethn Dis* 2005;15(4):671-8.
43. Anderson DR, Christison-Lagay J, Villagra V, et al. Managing the space between visits: a randomized trial of disease management for diabetes in a community health center. *J Gen Intern Med* 2010;25 (10):1116-22.
44. Bond GE, Burr R, Wolf FM, et al. The effects of a web-based intervention on the physical outcomes associated with diabetes among adults age 60 and older: a randomized trial. *Diabetes Technol Ther* 2007;9(1):52-59.
45. Wolever RQ, Dreusicke M, Fikkan J, et al. Integrative health coaching for patients with type 2 diabetes: a randomized clinical trial. *Diabetes Educ* 2010;36(4):629-39.
46. Lorig K, Ritter PL, Villa FJ, et al. Community-based peer-led diabetes self-management: a randomized trial. *Diabetes Educ* 2009;35(4):641-51.
47. Lorig K, Ritter PL, Laurent DD, et al. Online diabetes self-management program: a randomized study. *Diabetes Care* 2010;33(6):1275-81.
48. Schillinger D, Handley M, Wang F, et al. Effects of self management support on structure, process, and outcomes among vulnerable patients with diabetes. *Diabetes Care* 2009;32(4):559- 66.
49. Samuel-Hodge CD, Keyserling TC, Park S, et al. A randomized trial of a church-based diabetes self-management program for African Americans with type 2 diabetes. *Diabetes Educ* 2009;35(3):439-54.
50. Samuel-Hodge CD, Keyserling TC, France R, et al. A church-based diabetes self-management education program for African Americans with type 2 diabetes. *Prev Chronic Dis* 2006;3 (3):A93.
51. Deakin TA, Cade JE, Williams R, et al. Structured patient education: the diabetes X-PERT Programme makes a difference. *Diabet Med* 2006;23(9):944-54.
52. Cade JE, Kirk SFL, Nelson P, et al. Can peer educators influence healthy eating in people with diabetes? Results of a randomized controlled trial. *Diabet Med* 2009;26(10):1048-54.
53. Cooper H, Booth K, Gill G. A trial of empowerment-based education in type 2 diabetes: global rather than glycaemic benefits. *Diabetes Res Clin Pract* 2008;82(2):165-71.
54. Sturt JA, Whitlock S, Fox C, et al. Effects of the Diabetes Manual 1:1 structured education in primary care. *Diabet Med* 2008;25(6):722-31.

55. Davies MJ, Heller S, Skinner TC, et al. Effectiveness of the diabetes education and self management for ongoing and newly diagnosed (DESMOND) programme for people with newly diagnosed type 2 diabetes: cluster randomised controlled trial. *BMJ* 2008;336(7642):491-5.
56. Adolfsson ET, Walker-Engstrom M-L, Smide B, et al. Patient education in type 2 diabetes: a randomized controlled 1-year follow-up study. *Diabetes Res Clin Pract* 2007;76(3):341-50.
57. Kulzer B, Hermanns N, Reinecker H, et al. Effects of self-management training in Type 2 diabetes: a randomized, prospective trial. *Diabet Med* 2007;24(4):415-23.
58. Thoolen BJ, de Ridder D, Bensing J, et al. Beyond good intentions: the role of proactive coping in achieving sustained behavioural change in the context of diabetes management. *Psychology & Health* 2009;24(3):237-54.
59. Song M-S, Kim H-S. Intensive management program to improve glycosylated hemoglobin levels and adherence to diet in patients with type 2 diabetes. *Appl Nurs Res* 2009;22(1):42-7.
60. Wattana C, Srisuphan W, Pothiban L, et al. Effects of a diabetes self-management program on glycemic control, coronary heart disease risk, and quality of life among Thai patients with type 2 diabetes. *Nurs Health Sci* 2007;9(2):135-41.
61. Shibayama T, Kobayashi K, Takano A, et al. Effectiveness of lifestyle counseling by certified expert nurse of Japan for non-insulin-treated diabetic outpatients: a 1-year randomized controlled trial. *Diabetes Res Clin Pract* 2007;76(2):265-8.
62. Watanabe M, Okayama A, Shimamoto K, et al. Short-term effectiveness of an individual counseling program for impaired fasting glucose and mild type 2 diabetes in Japan: a multi-center randomized control trial. *Asia Pac J Clin Nutr* 2007;16(3):489-97.
63. Sixta CS, Ostwald S. Texas-Mexico border intervention by promotores for patients with type 2 diabetes. *Diabetes Educ* 2008;34(2):299-309.
64. Glasgow RE, Strycker LA, King DK, et al. Robustness of a computer-assisted diabetes self-management intervention across patient characteristics, healthcare settings, and intervention staff. *Am J Manag Care* 2006;12(3):137-45.
65. Thoolen B, De Ridder D, Bensing J, et al. Effectiveness of a self-management intervention in patients with screen-detected type 2 diabetes. *Diabetes Care* 2007;30(11):2832-7.
66. Williams GC, Lynch M, Glasgow RE. Computer-assisted intervention improves patient-centered diabetes care by increasing autonomy support. *Health Psychol* 2007;26(6):728-34.
67. Peytremann-Bridevaux I, Staeger P, Bridevaux PO, et al. Effectiveness of chronic obstructive pulmonary disease-management programs: systematic review and meta-analysis. *Am J Med* 2008;121(5):433-43.e4.
68. Adams SG, Smith PK, Allan PF, et al. Systematic review of the chronic care model in chronic obstructive pulmonary disease prevention and management. *Arch Intern Med* 2007;167 (6):551-61.
69. Effing T, Monnikhof EM, van der Valk PD, et al. Self-management education for patients with chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2007;Issue 4:Art. No. CD002990.
70. Lacasse Y, Goldstein R, Lasserson TJ, et al. Pulmonary rehabilitation for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2009;1:1.



71. Puhan MA, GimenoSantos E, Scharplatz M, et al. Pulmonary rehabilitation following exacerbations of chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2011;Issue 1:Art. No.: CD005305.
72. Walters AEJ, Turnock AC, Walters HE, et al. Action plans with limited patient education only for exacerbations of chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2010;Issue 5:Art. No.: CD005074.
73. Blackstock F, Webster K. Disease-specific health education for COPD: a systematic review of changes in health outcomes. *Health Educ Res* 2007;22(5):703-17.
74. Coventry PA, Hind D. Comprehensive pulmonary rehabilitation for anxiety and depression in adults with chronic obstructive pulmonary disease: systematic review and meta-analysis. *J Psychosom Res* 2007;63 (5):551-65.
75. Taylor SJC, Candy B, Bryar RM, et al. Effectiveness of innovations in nurse led chronic disease management for patients with chronic obstructive pulmonary disease: systematic review of evidence. *BMJ* 2005;331(7515):485.
76. Khmour MR, Kidney JC, Smyth BM, et al. Clinical pharmacy-led disease and medicine management programme for patients with COPD. *Br J Clin Pharmacol* 2009;68(4):588-98.
77. Rice KL, Dewan N, Bloomfield HE, et al. Disease management program for chronic obstructive pulmonary disease: a randomized controlled trial. *Am J Respir Crit Care Med* 2010;182(7):890-6.
78. Berry MJ, Rejeski WJ, Miller ME, et al. A lifestyle activity intervention in patients with chronic obstructive pulmonary disease. *Respir Med* 2010;104 (6):829-39.
79. Steele BG, Belza B, Cain KC, et al. A randomized clinical trial of an activity and exercise adherence intervention in chronic pulmonary disease. *Arch Phys Med Rehabil* 2008;89 (3):404-12.
80. Norweg AM, Whiteson J, Malgady R, et al. The effectiveness of different combinations of pulmonary rehabilitation program components: a randomized controlled trial. *Chest* 2005;128 (2):663-72.
81. Kunik ME, Veazey C, Cully JA, et al. COPD education and cognitive behavioral therapy group treatment for clinically significant symptoms of depression and anxiety in COPD patients: a randomized controlled trial. *Psychol Med* 2008;38(3):385-96.
82. Coultas D, Frederick J, Barnett B, et al. A randomized trial of two types of nurse-assisted home care for patients with COPD. *Chest* 2005;128(4):2017-24.
83. Hospes G, Bossenbroek L, ten Hacken NHT, et al. Enhancement of daily physical activity increases physical fitness of outclinic COPD patients: results of an exercise counseling program. *Patient Educ Couns* 2009;75 (2):274-78.
84. Lamers F, Jonkers CCM, Bosma H, et al. Improving quality of life in depressed COPD patients: effectiveness of a minimal psychological intervention. *COPD: Journal of Chronic Obstructive Pulmonary Disease* 2010;7(5):315-22.
85. Casas A, Troosters T, Garcia-Aymerich J, et al. Integrated care prevents hospitalisations for exacerbations in COPD patients. *Eur Respir J* 2006;28(1):123-30.
86. Garcia-Aymerich J, Hernandez C, Alonso A, et al. Effects of an integrated care intervention on risk factors of COPD readmission. *Respir Med* 2007;101(7):1462-9.
87. McGeoch GRB, Willsman KJ, Dowson CA, et al. Self-management plans in the primary care of patients with chronic obstructive pulmonary disease. *Respirology* 2006;11(5):611-8.

88. Wood-Baker R, McGlone S, Venn A, et al. Written action plans in chronic obstructive pulmonary disease increase appropriate treatment for acute exacerbations. *Respirology* 2006;11(5):619-26.
89. Karapolat H, Atasever A, Atamaz F, et al. Do the benefits gained using a short-term pulmonary rehabilitation program remain in COPD patients after participation? *Lung* 2007;185(4):221-5.
90. Gadoury MA, Schwartzman K, Rouleau M, et al. Self-management reduces both short- and long-term hospitalisation in COPD. *Eur Respir J* 2005;26(5):853-7.
91. Efraimsson EO, Hillervik C, Ehrenberg A. Effects of COPD self-care management education at a nurse-led primary health care clinic. *Scand J Caring Sci* 2008;22(2):178-85.
92. Smith JR, Mugford M, Holland R, et al. Psycho-educational interventions for adults with severe or difficult asthma: a systematic review. *J Asthma* 2007;44(3):219-41.
93. Powell H, Gibson PG. Options for self-management education for adults with asthma. *Cochrane Database Syst Rev* 2009;Issue 1:Art. No.: CD004107.
94. Tapp S, Lasserson TJ, Rowe BH. Education interventions for adults who attend the emergency room for acute asthma. *Cochrane Database Syst Rev* 2010;Issue 3:Art. No.: CD003000.
95. Clark NM, Gong ZM, Wang SJ, et al. A randomized trial of a self-regulation intervention for women with asthma. *Chest* 2007;132(1):88-97.
96. Clark NM, Gong ZM, Wang SJ, et al. From the female perspective: long-term effects on quality of life of a program for women with asthma. *Gend Med* 2010;7(2):125-36.
97. Janson SL, McGrath KW, Covington JK, et al. Individualized asthma self-management improves medication adherence and markers of asthma control. *J Allergy Clin Immunol* 2009;123(4):840-6.
98. Mancuso CA, Sayles W, Allegrante JP. Randomized trial of self-management education in asthmatic patients and effects of depressive symptoms. *Ann Allergy Asthma Immunol* 2010;105(1):12-9.
99. Shackelford J, Bachman JH. A comparison of an individually tailored and a standardized asthma self-management education. *American Journal of Health Education* 2009;40(1):23-29.
100. Wilson SR, Strub P, Buist AS, et al. Shared treatment decision making improves adherence and outcomes in poorly controlled asthma. *Am J Respir Crit Care Med* 2010;181(6):566-77.
101. Abdelhamid E, Awad A, Gismallah A. Evaluation of a hospital pharmacy-based pharmaceutical care services for asthma patients. *Pharmacy Practice* 2008;6(1):25-32.
102. Kuijer RG, De Ridder DTD, Colland VT, et al. Effects of a short self-management intervention for patients with asthma and diabetes: evaluating health-related quality of life using then-test methodology. *Psychology & Health* 2007;22(4):387-411.
103. van der Meer V, Bakker MJ, van den Hout WB, et al. Internet-based self-management plus education compared with usual care in asthma: a randomized trial. *Ann Intern Med* 2009;151(2):110-20.
104. van der Meer V, van Stel HF, Bakker MJ, et al. Weekly self-monitoring and treatment adjustment benefit patients with partly controlled and uncontrolled asthma: an analysis of the SMASHING study. *Respir Res* 2010;11:74.

105. Magar Y, Vervloet D, Steenhouwer F, et al. Assessment of a therapeutic education programme for asthma patients: "un souffle nouveau". *Patient Educ Couns* 2005;58(1):41-6.
106. Milenkovic BA, Stankovic IJ, Ilic AM, et al. Peak expiratory flow-guided self-management treatment of asthma in Serbia. *J Asthma* 2007;44(9):699-704.
107. Rowett D, Simmons S, Cafarella P, et al. Statewide Chronic Disease Self Management Demonstration Project. Adelaide, Australia: Flinders Human Behaviour and Health Research Unit; 2005.
108. Sun H-W, Wang J-P, Wang S-Z, et al. Effect of educational and psychological intervention on the quality of life of asthmatic patients. *Respir Care* 2010;55(6):725-8.
109. Shepperd S, Doll H, Angus RM, et al. Admission avoidance hospital at home. *Cochrane Database Syst Rev* 2010;Issue 4:Art. No. CD007491.
110. Scottish Intercollegiate Guidelines Network (SIGN). British guideline on the management of asthma: a national clinical guideline. SIGN publication No. 101. Edinburgh, Scotland: Scottish Intercollegiate Guidelines Network; 2009.
111. National Heart Lung and Blood Institute. Education for a partnership in asthma care. In: National Asthma Education and Prevention Program (NAEPP). Expert panel report 3: guidelines for the diagnosis and management of asthma. Bethesda (MD): National Heart, Lung, and Blood Institute; 2007.
112. Svetkey LP, Erlinger TP, Vollmer WM, et al. Effect of lifestyle modifications on blood pressure by race, sex, hypertension status, and age. *J Hum Hypertens* 2005;19(1):21-31.
113. Bosworth HB, Olsen MK, Neary A, et al. Take Control of Your Blood Pressure (TCYB) study: a multifactorial tailored behavioral and educational intervention for achieving blood pressure control. *Patient Educ Couns* 2008;70(3):338-47.
114. Bosworth HB, Olsen MK, Grubber JM, et al. Two self-management interventions to improve hypertension control: a randomized trial. *Ann Intern Med* 2009;151(10):687-95.
115. Bosworth HB, Olsen MK, Dudley T, et al. Patient education and provider decision support to control blood pressure in primary care: a cluster randomized trial. *Am Heart J* 2009;157(3):450-6.
116. Bosworth HB, Olsen MK, Gentry P, et al. Nurse administered telephone intervention for blood pressure control: a patient-tailored multifactorial intervention. *Patient Educ Couns* 2005;57(1):5-14.
117. Green BB, Cook AJ, Ralston JD, et al. Effectiveness of home blood pressure monitoring, web communication, and pharmacist care on hypertension control: a randomized controlled trial. *JAMA* 2008;299(24):2857-67.
118. Lee L-L, Arthur A, Avis M. Evaluating a community-based walking intervention for hypertensive older people in Taiwan: a randomized controlled trial. *Prev Med* 2007;44(2):160-6.
119. Xue F, Yao W, Lewin RJ. A randomised trial of a 5 week, manual based, self-management programme for hypertension delivered in a cardiac patient club in Shanghai. *BMC Cardiovasc Disord* 2008;8:10.
120. Burke V, Mansour J, Mori TA, et al. Changes in cognitive measures associated with a lifestyle program for treated hypertensives: a randomized controlled trial (ADAPT). *Health Educ Res* 2008;23(2):202-17.
121. Jones F, Riazi A. Self efficacy and self management after stroke: a systematic review. *Disabil Rehabil* 2010;online:1-14.

122. Kendall E, Catalano T, Kuipers P, et al. Recovery following stroke: the role of self-management education. *Soc Sci Med* 2007;64(3):735-46.
123. Harrington R, Taylor G, Hollinghurst S, et al. A community-based exercise and education scheme for stroke survivors: a randomized controlled trial and economic evaluation. *Clin Rehabil* 2010;24(1):3-15.
124. Marsden D, Quinn R, Pond N, et al. A multidisciplinary group programme in rural settings for community-dwelling chronic stroke survivors and their carers: a pilot randomized controlled trial. *Clin Rehabil* 2010;24(4):328-41.
125. Foster G, Taylor SJC, Eldridge S, et al. Self-management education programmes by lay leaders for people with chronic conditions. *Cochrane Database Syst Rev* 2009;Issue 4:Art. No.: CD005108.
126. Griffiths C, Motlib J, Azad A, et al. Randomised controlled trial of a lay-led self-management programme for Bangladeshi patients with chronic disease. *Br J Gen Pract* 2005;55(520):831-7.
127. Elzen H, Slaets JPJ, Snijders TAB, et al. Evaluation of the chronic disease self-management program (CDSMP) among chronically ill older people in the Netherlands. *Soc Sci Med* 2007;64(9):1832-41.
128. Van Sluijs EMF, Van Poppel MNM, Twisk JWR, et al. The positive effect on determinants of physical activity of a tailored, general practice-based physical activity intervention. *Health Educ Res* 2005;20(3):345-56.
129. Swerissen H, Belfrage J, Weeks A, et al. A randomised control trial of a self-management program for people with a chronic illness from Vietnamese, Chinese, Italian and Greek backgrounds. *Patient Educ Couns* 2006;64(1-3):360-8.
130. Lorig KR, Ritter PL, Laurent DD, et al. Internet-based chronic disease self-management: a randomized trial. *Med Care* 2006;44(11):964-71.
131. Eakin EG, Bull SS, Riley KM, et al. Resources for health: a primary-care-based diet and physical activity intervention targeting urban latinos with multiple chronic conditions. *Health Psychol* 2007;26(4):392-400.
132. Reeves D, Kennedy A, Fullwood C, et al. Predicting who will benefit from an Expert Patients Programme self-management course. *Br J Gen Pract* 2008;58(548):198-203.
133. Kennedy A, Reeves D, Bower P, et al. The effectiveness and cost effectiveness of a national lay-led self care support programme for patients with long-term conditions: a pragmatic randomised controlled trial. *J Epidemiol Community Health* 2007;61(3):254-61.
134. Jerant A, Moore M, Lorig K, et al. Perceived control moderated the self-efficacy-enhancing effects of a chronic illness self-management intervention. *Chronic Illn* 2008;4(3):173-82.
135. Jerant A, Moore-Hill M, Franks P. Home based, peer led chronic illness self management training: findings from a 1 year randomized controlled trial. *Ann Fam Med* 2009;7(4):319-27.
136. Franks P, Chapman B, Duberstein P, et al. Five factor model personality factors moderated the effects of an intervention to enhance chronic disease management self-efficacy. *British Journal of Health Psychology* 2009;14(3):473-87.
137. Jerant A, Kravitz R, Moore-Hill M, et al. Depressive symptoms moderated the effect of chronic illness self-management training on self-efficacy. *Med Care* 2008;46(5):523-31.
138. Jordan J, Osbourne R. Chronic Disease Self Management Programs: Challenges Ahead. *MJA* 2007;186(2):84 - 87.

139. Battersby M, Harvey P, Mills PD, et al. SA HealthPlus: a controlled trial of a statewide application of a generic model of chronic illness care. *Milbank Q* 2007;85(1):37-67.
140. Battersby M, Hoffmann S, Cadilhac D, et al. 'Getting your life back on track after stroke': a Phase II multi-centered, single-blind, randomized, controlled trial of the Stroke Self-Management Program vs. the Stanford Chronic Condition Self-Management Program or standard care in stroke survivors. *International Journal of Stroke* 2009;4(2):137-44.
141. The Royal Australian College of General Practitioners. Chronic condition self management guidelines. The Royal Australian College of General Practitioners; (n.d.).
142. Elzen H, Slaets JPJ, Snijders TAB, et al. The effect of a self-management intervention on health care utilization in a sample of chronically ill older patients in the Netherlands. *J Eval Clin Pract* 2008;14(1):159-61.